

## Certificate of Evaluation and Verification of Constancy of Performance 0987-CPR-041 Rev.1

In compliance with the Regulation UE 305/2011 on the approximation of law, regulations and administrative provisions of the Member States relating to the construction products, it has been stated that:

*building product of the family:*

### PARQCOLOR VINTAGE COLLECTION

*Denominated*

PARQCOLOR VINTAGE - PARQCOLOR CARPINETA - PARQCOLOR BRERA - PARQCOLOR MATERICA -  
PARQCOLOR SCALE

*Description of the product:*

Laminate floor covering, thickness 11.0 mm, various colours

Battens obtained cutting a compound consisting of a wooden fiber support with an external surface made of Print HPL laminate, and balanced with a Print HPL laminate

Type: Laminato covering on MDF wooden support

Use: Floor covering

End uses: in contact or glued with a non-combustible substrate of Euroclass A1<sub>fl</sub> or A2<sub>fl</sub> with or without the interposition of the mat denominated Supermousse

*Producer:*

**ABET LAMINATI S.p.A.**

Viale Industria, 21 - 12042 Bra (CN)

*in the factory*

**ABET LAMINATI S.p.A. - Filiale Lombardia**

Strada Prov.le per Bulgorello, 3 - 22070 Vertemate con Minoprio (CO)

is submitted by the manufacturer to the factory production control (FPC) under system 1 and to the testing of samples (ITT) by the Notified body for Certification, Inspection and Testing according to Regulation UE 305/2011.

The Notified Body (LAPI S.p.A. - Laboratorio Prevenzione Incendi N° 0987) has performed the initial type testing on the samples taken at the factory in accordance with the described test for the relevant characteristics of the product, the initial inspection of the factory and the factory production control and it will perform the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning to the System 1 and the performances described in Annex ZA of the standard

**EN 14041:2004 - EN 14041:2004/AC:2006**

Resilient, textile and laminate floor coverings - Essential characteristics

are performed and the product complies with characteristics required as for:

Formaldehyde emission: class E1 - Slip resistance EN 13893: 2002 Class DS

Electrical behaviour UNI EN 1815: 1999 Antistatic (< 2,0 kV)

Moreover the product has reaction-to-fire Euroclass classified according to UNI EN 13501-1:2009 standard and evaluated according to Annex D.8 Table D.1 of the product standard EN 14041: 2004 - EN 14041: 2004/AC

**B<sub>fl</sub> - s1**



This certificate is the revision 1 of certificate n° 0987-CPR-041.

This revision of the certificate differs from the previous one for the change of the name of the company and it remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or as long as the factory production control itself are not modified significantly and latest on 22/05/2021. The present certificate has been issued with repetition of tests.

Prato, 16/09/2016

The Technical Director

Dr. Luca Ermini